

23.04.2009

FOGRA45 Light weight coated, improved						
	White Backing			Black Backing		
	L*	a*	b*	L*	a*	b*
Paper	92,0	0,0	-2,0	89,0	0,0	-1,0
Cyan	57,0	-37,0	-46,0	56,0	-36,0	-45,0
Magenta	48,0	73,0	-6,0	46,0	70,0	-7,0
Yellow	86,0	-2,0	89,0	84,0	-4,0	86,0
Black	20,0	1,0	2,0	19,0	1,0	2,0
Red	48,0	66,0	44,0	46,0	62,0	42,0
Green	50,0	-59,0	26,0	49,0	-57,0	26,0
Blue	28,0	16,0	-46,0	27,0	16,0	-45,0
C+M+Y	27,0	-4,0	-2,0	27,0	-4,0	-1,0
Tolerances	Paper: L* = +/-3 a*,b* = +/-2			Inks: dE* = 5,0 dH = 2,5		

FOGRA46 Light weight coated, standard						
	White Backing			Black Backing		
	L*	a*	b*	L*	a*	b*
Paper	90,0	0,0	1,0	87,0	0,0	0,0
Cyan	56,0	-37,0	-42,0	54,0	-36,0	-41,0
Magenta	47,0	71,0	-4,0	45,0	68,0	-5,0
Yellow	84,0	-1,0	88,0	82,0	-3,0	85,0
Black	20,0	1,0	2,0	19,0	1,0	2,0
Red	47,0	65,0	44,0	45,0	61,0	42,0
Green	50,0	-56,0	28,0	49,0	-54,0	28,0
Blue	28,0	15,0	-42,0	27,0	15,0	-41,0
C+M+Y	27,0	-2,0	0,0	27,0	-2,0	1,0
Tolerances	Paper: L* = +/-3 a*,b* = +/-2			Inks: dE* = 5,0 dH = 2,5		

FOGRA47 Paper Type 4 (Uncoated)						
	White Backing			Black Backing		
	L*	a*	b*	L*	a*	b*
Paper	95,0	0,0	-2,0	92,0	0,0	-3,0
Cyan	60,0	-26,0	-44,0	58,0	-25,0	-43,0
Magenta	56,0	61,0	-1,0	54,0	58,0	-2,0
Yellow	89,0	-4,0	78,0	86,0	-4,0	75,0
Black	31,0	1,0	1,0	31,0	1,0	1,0
Red	54,0	55,0	26,0	52,0	53,0	25,0
Green	54,0	-44,0	14,0	53,0	-42,0	13,0
Blue	38,0	8,0	-31,0	37,0	8,0	-30,0
C+M+Y	33,0	0,0	0,0	32,0	0,0	0,0
Tolerances	Paper: L* = +/-3 a*,b* = +/-2			Inks: dE* = 5,0 dH = 2,5		